AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

- 1. (currently amended) A cosmid vector characterized by comprising:
- (1) containing an adenoviral genome having adenoviral inverted terminal repeat sequences each having a left-inverted terminal repeat and a right-inverted terminal repeat, each of said repeats has a complete nucleotide sequence,
- (2) having a deletion in an adenovirus E1 gene region, and wherein the E1 gene deletion site comprises a restriction enzyme recognition sequence for inserting a foreign gene into the E1 gene deletion site,
- (3) <u>containing a pair of identical restriction enzyme recognition sequence</u> sequences not present in the adenoviral genome, on both sides of the adenoviral genome,
- (4) a drug resistant gene, a replication origin, a spacer sequence and a COS region in this order from outside of the left-inverted terminal repeat sequence toward the right inverted terminal repeat sequence.
- (5) a second pair of identical restriction enzyme recognition sequences, one of which is present (i) within the E1 gene deletion site and (ii) at a right side of a foreign gene insertion site, within the right side is IVa2 gene side, and the other is present inside the spacer sequence, and
- (6) said cosmid vector being suitable for constructing, by being acted by a restriction enzyme recognizing the second pair of identical restriction enzyme recognition

sequences, a plasmid in which a major part of the adenoviral genome, the spacer region and the COS region are removed, while a foreign gene inserted at the foreign gene insertion site present in the E1 gene deletion site is maintained.

- 2-4. (cancelled).
- 5. (currently amended) The cosmid vector according to claim 1, comprising the sequence TTCGAA, which can be recognized by at least Csp45I, BspT104I or BstBI, as a restriction enzyme recognition sequence present on both sides of the adenoviral genome.
 - 6-7. (cancelled).
- 8. (currently amended) The cosmid vector according to <u>claim 7 claim 1</u>, <u>characterized in that wherein</u> the restriction enzyme <u>recognition sequence for inserting a foreign</u> gene contained in the E1 gene deletion site is SwaI <u>recognition sequence</u>.
- 9. (currently amended) The cosmid vector according to elaim 7claim 1, wherein the cosmid vector further comprising a CAG promoter or an EF-1α promoter in the E1 gene deletion site.
- 10. (withdrawn-previously presented) A method of generating a recombinant adenoviral vector characterized by comprising digesting the cosmid vector according to claim 1 with a restriction enzyme and transforming a cell with the cosmid vector.

- 11. (withdrawn) The method of generating a recombinant adenoviral vector according to claim 10, characterized in that the restriction enzyme is Csp45I, BspT104I or BstBI.
- 12. (currently amended) A reagent composition for generating a recombinant adenoviral vector comprising the cosmid vector according to claim 1 as a component, in an admixture with a suitable diluent.
 - 13. (withdrawn) A cosmid vector or plasmid vector characterized by:
- (1) containing an adenoviral genome having adenoviral inverted terminal repeat sequences each having a complete nucleotide sequence,
 - (2) having a deletion in an adenovirus E1 gene region, and
- (3) containing multiple kinds of restriction enzyme recognition sequences not present in the adenoviral genome, on both sides of the adenoviral genome.
- 14. (withdrawn) The vector according to claim 13, comprising, on both sides of the adenoviral genome, at least two kinds of restriction enzyme recognition sequences selected from
 - (a) TTCGAA recognized by a restriction enzyme Csp45I, BspT104I, or BstBI,
 - (b) TTAATTAA recognized by a restriction enzyme PacI, and
 - (c) ATCGAT recognized by a restriction enzyme ClaI or BspDI.
 - 15. (withdrawn) The vector according to claim 14, comprising at least
 - (a) TTCGAA recognized by a restriction enzyme Csp45I, BspT104I, or BstBI, and
 - (b) TTAATTAA recognized by a restriction enzyme PacI.

- 16. (withdrawn) The vector according to claim 14, comprising at least
- (a) TTCGAA recognized by a restriction enzyme of Csp45I, BspT104I, or BstBI, and
- (c) ATCGAT recognized by a restriction enzyme ClaI or BspDI.
- 17. (withdrawn) The vector according to claim 13, comprising two kinds of restriction enzyme recognition sequences not present in the adenoviral genome on both sides of the adenoviral genome.
- 18. (withdrawn) The vector according to claim 17, comprising two kinds of restriction enzyme recognition sequences selected from
 - (a) TTCGAA recognized by a restriction enzyme Csp45I, BspT104I, or BstBI,
 - (b) TTAATTAA recognized by a restriction enzyme PacI, and
 - (c) ATCGAT recognized by a restriction enzyme ClaI or BspDI.
 - 19. (withdrawn) The vector according to claim 18, comprising
 - (a) TTCGAA recognized by a restriction enzyme Csp45I, BspT104I, or BstBI, and
 - (b) TTAATTAA recognized by a restriction enzyme PacI.
 - 20. (withdrawn) The vector according to claim 18, comprising
 - (a) TTCGAA recognized by a restriction enzyme Csp45I, BspT104I, or BstBI, and
 - (c) ATCGAT recognized by a restriction enzyme ClaI or BspDI.

- 21. (withdrawn) The vector according to claim 13, comprising three kinds of restriction enzyme recognition sequences not present in the adenoviral genome, on both sides of the adenoviral genome.
- 22. (withdrawn) The vector according to claim 21, comprising three kinds of restriction enzyme recognition sequences
 - (a) TTCGAA recognized by a restriction enzyme of Csp45I, BspT104I, or BstBI,
 - (b) TTAATTAA recognized by a restriction enzyme PacI, and
 - (c) ATCGAT recognized by a restriction enzyme ClaI or BspDI.
- 23. (withdrawn) The vector according to claim 13, comprising a nucleotide sequence recognized by a restriction enzyme, for inserting a foreign gene into an E1 gene deletion site.
- 24. (withdrawn) The vector according to claim 23, characterized in that the restriction enzyme is SwaI.
- 25. (withdrawn-previously presented) The vector according to claim 23, further comprising a CAG promoter or an EF-1α promoter in the E1 gene deletion site.
- 26. (withdrawn-previously presented) The vector according to claim 13, characterized in that the vector is a cosmid vector.

- 27. (withdrawn-previously presented) A method of generating a recombinant adenoviral vector characterized by comprising digesting the vector according to claim 13 with a restriction enzyme and transforming a cell with the vector.
- 28. (withdrawn) The method of generating a recombinant adenoviral vector according to claim 27, characterized in that the restriction enzyme is Csp45I, BspT104I, or BstBI.
- 29. (withdrawn) The method of generating a recombinant adenoviral vector according to claim 27, characterized in that the restriction enzyme is PacI.
- 30. (withdrawn) The method of generating a recombinant adenoviral vector according to claim 27, characterized in that the restriction enzyme is ClaI or BspDI.
- 31. (withdrawn-previously presented) A reagent for generating a recombinant adenoviral vector, comprising the vector according to claim 13, as a component.
- 32. (new) The cosmic vector according to claim 1, wherein the second pair of restriction enzyme recognition sequences is Sa1I recognition sequence or NruI recognition sequence.

- 33. (new) The cosmid vector according to claim 1, comprising at least two pairs of identical restriction enzyme recognition sequence which is not preset in the adenoviral genome and exist on both sides of the adenoviral genome.
- 34. (new) The cosmid vector according to claim 33, wherein the two pairs of identical restriction enzyme recognition sequences are selected from the group consisting of (a) TTCGAA recognized by a restriction enzyme Csp45I, BspT104I, or BstBI, (b) TTAATTAA recognized by a restriction enzyme PacI, and (c) ATCGAT recognized by a restriction enzyme C1aI or BspDI.
- 35. (new) The cosmid vector according to claim 34, wherein the two pairs of identical restriction enzyme recognition sequences are (a) TTCGAA recognized by a restriction enzyme Csp45I, BspT104I, or BstBI, or (b) TTAATTAA recognized by a restriction enzyme PacI.
- 36. (new) The cosmid vector according to claim 34, wherein the two pairs of identical restriction enzyme recognition sequences are (a) TTCGAA recognized by a restriction enzyme Csp45I, BspT104I, or BstBI, or (c) ATCGAT recognized by a restriction enzyme C1aI or BspDI.